



PRODUCT-DETAILS

K650BIP

15/25KV 600A DB INSUL PLUG W/CAP



General Information	
Extended Product Type:	K650BIP
Product ID:	7TAA122210R0012
EAN:	5415022249569
Catalog Description:	15/25KV 600A DB INSUL PLUG W/CAP
Long Description:	15/25kV 600 Series Deadbreak Insulated Plug (with Cap). Material Epoxy, Length 4.5 inch, Widest Diameter 3 inch.
Display Name:	K650BIP

Eco Transparency	
Environmental Product Declaration - EPD:	9AKK108472A0596

Ordering	
EAN:	5415022249569
UPC:	783786665464

Country of Origin:	United States
Selling Unit of Measure:	each

Container Information

Package Level 1 Units:	1 EA
Package Level 1 Width:	1143 mm 45 in
Package Level 1 Height:	1168.4 mm 46 in
Package Level 1 Depth / Length:	1092.2 mm 43 in
Package Level 2 Units:	720 EA
Package Level 2 Width:	0 mm 0 in
Package Level 2 Height:	0 mm 0 in
Package Level 2 Depth / Length:	0 mm 0 in

Additional Information

Application:	15/25kv, 600 Amps
Brand / Label:	Elastimold
Effective Date:	19980115
Material:	EPDM Rubber
Product Name:	Other
Product Type:	Deadbreak Insulated Plug
Size:	Plug Length 4.53 inch, 3 inch Diameter. Cap Diameter 3 inch.
Temperature Range:	90 °C

External Classifications and Standards

UNSPSC:	26121630
IDEA Granular Category Code (IGCC):	1779 >> Cable accessories

Material Compliance

RoHS Information:	No declaration needed
WEEE Category:	Product Not in WEEE Scope

Categories

Products > Low Voltage Products and Systems > Installation Products > Cable Accessories and Apparatus > Cable Accessories > Elastimold 600A Separable Connectors

