



PRODUCT-DETAILS

K675BIP

BASIC INSULATING PLUG



General Information	
Extended Product Type:	K675BIP
Product ID:	7TAA122210R0058
EAN:	5415022249590
Catalog Description:	BASIC INSULATING PLUG
Long Description:	15/25kV, 900 Amp, Deadbreak, Insulating Plug with Cap.
Display Name:	K675BIP

Eco Transparency	
Environmental Product Declaration - EPD: 9AKK108472A0596	

Ordering	
EAN:	5415022249590
UPC:	783786626915
Country of Origin:	United States

Selling Unit of Measure: each

Container Information

Package Level 1 Units:	1 EA
Package Level 1 Width:	92.202 mm 3.63 in
Package Level 1 Height:	92.202 mm 3.63 in
Package Level 1 Depth / Length:	152.4 mm 6 in

Additional Information

Application:	15/25 kV, 900 Amps
Brand / Label:	Elastimold
Effective Date:	19980115
Material:	Copper
Product Name:	Terminals, electrical splices and electrical couplings
Product Type:	Insulating Plug with Cap
Temperature Range:	-40 to +65 °C

External Classifications and Standards

UNSPSC:	26121630
IDEA Granular Category Code (IGCC):	1779 >> Cable accessories

Material Compliance

RoHS Information:	No declaration needed
WEEE Category:	Product Not in WEEE Scope

Categories

Products > Low Voltage Products and Systems > Installation Products > Cable Accessories and Apparatus > Cable Accessories > Elastimold 600A Separable Connectors

