



PRODUCT-DETAILS

LT4125P

1-1/4 INCH 45 DEG BULLET CONNECTOR



General Information

Extended Product Type:	LT4125P
Product ID:	7TAD012570R0000
EAN:	5414363100614
Catalog Description:	1-1/4 INCH 45 DEG BULLET CONNECTOR
Long Description:	1-1/4 Inch 45 Degree Non-Metallic Liquidtight Bullet Connector
Display Name:	LT4125P

Eco Transparency

Environmental Product Declaration - EPD:	9AKK108471A4032
--	-----------------

Additional Information

Application:	T&B Bullet meets performance requirements when terminating Type B liquidtight non-metallic conduit or flexible non-metallic tubing to a box or enclosure with knockout opening or threaded hub.
Product Type:	Bullet-45 Degree

Ordering

EAN:	5414363100614
------	---------------

UPC:	786210450858
------	--------------

Technical

Number of Batteries:	0
----------------------	---

Material:	Thermoplastic
-----------	---------------

Size:	1-1/4 Inch
-------	------------

Environmental

WEEE Category:	Product Not in WEEE Scope
----------------	---------------------------

RoHS Information:	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
-------------------	--

Container Information

Package Level 1 Units:	2 EA
------------------------	------

Package Level 1 Height:	109.22 mm 4.3 in
-------------------------	---------------------

Package Level 1 Depth / Length:	157.48 mm 6.2 in
---------------------------------	---------------------

Package Level 1 Width:	129.54 mm 5.1 in
------------------------	---------------------

Certificates and Declarations

Data Sheet, Technical Information:	TDS000236
------------------------------------	-----------

External Classifications and Standards

ETIM 8:	EC001178 - Screw connection for protective plastic hose
---------	---

ETIM 9:	EC001178 - Screw connection for protective plastic hose
---------	---

UNSPSC:	39121420
---------	----------

Categories

Products > Low Voltage Products and Systems > Installation Products > Cable Protection, Explosion Proof and Lighting > Liquidtight Fittings > T&B Liquidtight

